

INDEX TO GENERA AND SPECIES IN VOLUME 5

Medium type indicates valid names; *italic* type refers to synonyms
asterisk (*) indicates an illustration.

- Achimenes Persoon 16, 195
 cupreata Hook. 26
 flava Morton 195, 196
 grandiflora 22
 longiflora 22
 panamensis (Seem.) Hemsley 38
Acontias Schott, Schott & Endl. 347, 351, 358
 helliborifolius (Jacq.) Schott 358
 striatipes (Kunth) Schott 364
Acriopsidinae Dressler 204
Acriopsis Reinward ex Blume 204
Aechmea 107, 225
 brevicollis L. B. Smith 108, 111, 113
 fosteriana 227, 228
 fulgens va. *discolor* 225, 238
 mertensii Schult. f. 108, 110, 111, 112*, 113
 rubiginosa Mez 308
 strobilata L. B. Smith 308
 tayoensis Gilmartin 308, 309*
Alloplectus Mart. 11, 16, 20, 25, 63, 64, 381, 382
 crenatilobus Mansf. 382
 dariensis Seem. 50
 dielsii (Mansf.) Wiehler 381, 382
 dodsonii Wiehler 23*
 forgetii Sprague 32
 hirsutus Sprague 34
 hispidus Mart. 382
 ichthyoderma Hanst. 23*
 lynchii Hook. f. 36
 metamorphophylla Donn. Smith 57
 nummularia (Hanst.) Wiehler 63
 pallidus Sprague 38
 sprucei (Kuntze) Wiehler 64
 teuscheri (Raymond) Wiehler 64
Alocasia 342
 argyroneura Koch 374
 erythrea Koch 374
Alsobia Hanst. 11, 12, 17, 25, 27*, 28
 X 'Cygnat' 29
 dianthiflora (H.E. Moore & R. G. Wilson) Wiehler 12, 13*, 15*, 28
 punctata (Lindl.) Hanst. 12, 13*, 15*, 28
Anchoetus 107
 emarginatus 110
Angreacum Bory 286
 eburneum Bory 286, 287, 288, 289
 eichlerianum Krzl. 286, 287, 288
 girymae Rendle 286, 287, 288
 magdalene Schltr. & Perr. 286, 287, 288
 X 'Orchidglade' 286, 287, 288, 289
 sesquipedale Thours 286, 287, 288, 289
 X 'Veitchii' 286, 287, 288, 289
Anguloa 291, 292, 293, 294
 cliftonii Rolfe 291, 292
 clowesii Lindl. 291, 292, 293
 ruckeri 293
 uniflora 292
Anthurium 107, 212, 248, 315
 sect. *Pachyneurium* Schott 94
 binervia Croat 340
 cerrocampanense Croat 316, 318*, 320*
 circinatum Croat 317, 318*, 320*, 321
 coclense Croat 318*, 321
 dwyeri Croat 320*, 323, 324, 325*
 gracile (Rudge) Lindl. 108, 110, 111, 113
 hoffmannii Schott 336, 338
 louisii Croat & Baker 321
 luteynii Croat 324, 325*, 327*, 328, 337*
 ochranthum Schott 331
 purpureospathum Croat 327*, 328, 329, 337*
 rotundistigmatum Croat 330, 331, 332*
 salvadorensis Croat 333, 334, 335*
 sanctifidense Croat 334, 335*, 336, 337*, 339*
 scandens (Aubl.) Engler 108, 113
 schlechtendalii Kunth 334
 seibertii Croat & Baker 328
 solitarium Schott 108
 superbum Madison 94
 vallense Croat 337*, 338, 339*, 340
 wendlingeri 321
Aphyllarum 342, 345, 346, 348, 355, 366, 375, 376
 tuberosum 349, 368, 375, 376
Apis mellifera 17, 18
Apostasia 200
Apostasioideae Reichenb. 200, 203
Arethuseae 202, 203, 204
Arum *bicolor* Aiton 366, 370
 helliborifolium Jacq. 358
 sagittifolium L. 357
Arundina graminifolia 199*
Asclepiadaceae 209
Asplundia sp. 108
Asterantha 16
Avicennia germinans L. 97, 99, 100, 101
Azteca 107
 tralli 110
 ulei 110
Barbosella Schltr. 386
 cucullata (Lindl.) Schltr. 387*
 gardneri (Lindl.) Schltr. 386, 387*
 miersii (Lindl.) Schltr. 386
 reichenbachiana (Endres) Schltr. 387
 trilobata Pabst 387
Barbrodria Luer 386
 miersii (Lindl.) Luer 386, 387*
Besleria L. 16, 74, 217
 sect. *Elongatae* Morton 217
 sect. *Elongatae* subsect. *Confertae* Morton 217
 aristeguitae (Morton) Wiehler 218
 chiriquensis Wiehler 73, 75
 comosa Morton 217
 crassifolia Schott 382
 cyrtanthemum Hanst. 217
 glabra (Orested) Hanst. 217
 guadalupensis DC 37
 incarnata Aubl. 64, 65, 67
 lutea L. 217
 maasii Wiehler 73, 75
 melittifolia L. 11, 37
 labiosa Hanst. 217
 rosea (Morton) Wiehler 218
 solanoidis HBK 73
 triflora (Oersted) Hanst. 217
 verecunda Morton 73
 vestita Fritsch 23*
Bifrenaria Lindl. 205
Bifrenariinae Dressler 205
Bilbergia saundersiana 227, 228, 229, 231, 235
Bletia 279
Brassavola 279, 280
 sect. *Cuneilabia* Rolfe 280
 sect. *Grandiflorae* Rolfe 280
 acaulis Lindl. 280, 282, 283, 284
 cordata Lindl. 280, 282, 283, 284
 cucullata 279
 digbyana Lindl. 279, 280, 281, 282, 283, 284
 glauca Lindl. 279, 280, 281, 282, 283, 284
 grandiflora Lindl. 280, 282, 283, 284
 martiana Lindl. 280, 281, 282, 283, 284
 nodosa Lindl. 279, 280, 282, 283, 284
 perrinii Lindl. 280, 281, 282, 283, 284

- Bucinella* Wiehler 381
nariniana Wiehler 381
paramicola Wiehler 21, 381
- Bucinellina* Wiehler 381
nariniana (Wiehler) Wiehler 381
paramicola (Wiehler) Wiehler 381
- Bulbophyllinae* 202
- Bulbophyllum* 202, 205, 212
 sp. 210
- Bursera simaruba* (L.) Sarg. 97, 98, 99, 102, 105
- Caladieae* Engler 347
- Caladiopsis* Engler 349, 351
atropurpurea Madison 354
castula Madison 356
dodsonii Bunting 352
lehmannii Engler 349, 356
- Caladium* 342, 347, 348, 355, 358, 366, 367, 375, 376
adamnatinum Linden 370
akkermansii Bunting 377
andeanum Bogner 377
angustifolium Engler 365
angustilobum Engler 368
argyrites Lem. 369
argyrosipilum Lem. 370
aristeguietae Bunting 364
barraquinii Lem. 370
belleyi Lem. 370
bicolor (Aiton) Vent. 344, 366, 367, 369, 370, 372, 373, 374
brogniartii Lem. 370
chantinii Lem. 370
coerulescens Bunting 367, 373
concolor Koch 370
devonsianum Lem. 371
enkeanum Koch 371
firmulum Schott 371
haematostigma Kunth 371
hastatum Lem. 371
heterotypicum S. Moore 364
holtonianum (Schott) N.E.Brown 362
hortulanum Birdsey 371
houletii Lem. 371
humboldtii Schott 367, 369, 370
 var. *myriostigma* (Koch) Engler 369
laucheanum Koch 371
lemaireanum Barraquin 371
lilliputiense Rodig. 369
lindenii (Andre) Madison 367, 373, 374
longipodium K. Krause 353
macrophyllum Lem. 371
macrotites Schott 367, 368, 369
marginatum Koch 371
marmoratum Mathieu 371
medio-radiatum Linden & Rodg. 371
mirable Lem. 371
myriostigma Koch 389
neumannii Lem. 371
pallidum Koch 371
perrieri Lem. 371
picturatum Koch 371
pilosum (Koch & Aug.) N.E.Brown 362, 363
plowmanii Madison 353
poecile Schott 371
porphyroneuron Koch 371
puberulum Engler 362
pubescens N.E.Brown 342, 361
purdieanum Schott 371
regale Lem. 371
riopalenquensis Madison 362
rubescens N. E. Brown 374
sagittatum Linden & Rodig. 371
schoelleri Lem. 374
schomburgkii Schott 367, 374
 var. *argyreneuron* (Koch) Engler 374
 var. *erythreum* (Koch) Engler 374
schmitzii Lem. 374
smaragdinum Koch & Bouche 371
sororium Schott 371
spruceanum Schott 371
- stangeanum* Koch 317
steudneriifolium Engler 371
striatipes (Kunth) Schott 364
subrotundum Lem. 374
surinamense Miq. 371
ternatum Madison 344, 345, 346, 347, 348, 375
troubetzkoyi Chantin 371
vellozianum Schott 371
venosum N.E.Brown 374
verschaffeltii Lem. 371
- Calanthe* sp. 210
- Calypso* Salisb. 202, 204
- Calypsoeae* (Camus) Dressler 202, 204
- Calypsoinae* 204
- Camponotus* 107
femoratus 110
- Capanea* 16
- Catasetum* 286, 294
- Catopsis berteroniana* 227
nutans 226, 227, 229, 231
sessiliflora 227
- Centrosolenia* Benth. 11, 12, 14, 25, 45
aenea Linden & Andre 30
bracteata Planch. 30
bractescens Hook. 30
bullata Lem. 30
conferta Morton 50
decurrens Morton 50
densa (Wright) Sprague 50
glabra Benth. 50
hirsuta Benth. 26
lineata Morton 54
longipedunculata (Donn. Smith) Morton 54
picta Hook. 40
- Cestochilus* 205
- Chaubardia tigrina* Garay & Dunsterv. 116
- Chaubardiella* Garay 116, 118
calceolaris Garay 116, 299
chasmatochila (Fowlie) Garay 297, 299
pubescens Ackerman 297, 298*, 299
saccata (Garay) Garay 116, 299
subquadrata (Schltr.) Garay 299
tigrina (Garay & Dunsterv.) Garay 116, 299
- Chlorospatha* Engler 342, 344, 345, 346, 347, 349, 350, 351, 364, 377
atropurpurea (Madison) Madison 350, 354, 355, 356
besseae Madison 350, 352, 353
castula (Madison) Madison 350, 356, 357
cutucuensis Madison 350, 354, 355
dodsonii (Bunting) Madison 350, 352, 355, 356
ilensis Madison 350, 355, 356
kolbii Engler 349, 350, 351
lehmannii (Engler) Madison 350, 356, 357
longipoda (K. Krause) Madison 350, 353, 354
mirabilis (M. T. Mast.) Madison 350, 351
- Chondrorhyncha* Lindl. 116, 297
caudata Ackerman 299, 300*
cornuta Garay 301
- Chrysothemis melittifolia* (L.) G. Don 37
venosa Decne. 37
- Cinnamomum camphora* (L.) Nees & Eberm. 104
- Cobananthus* 16
calochlamys (Donn. Smith) Wiehler 21*
- Codonanthe* (Mart.) Hanst. 1, 20, 61, 107, 110, 111, 114, 212, 214
calcarata 109*, 110, 111, 112*, 113
carnosa (Gardner) Hanst. 1, 214, 215, 216*
chiricana Wiehler 19*
corniculata Wiehler 19*
crassifolia (Focke) Morton 19*, 115
devosiana Lem. 1, 214, 216*
digna Wiehler 214, 216, 218*
dissimulata H. E. Moore 61
gracilis (Mart.) Hanst. 1, 2*, 19*, 214, 216*

- luteola* Wiehler 19*
paula Wiehler 215, 216, 218*
uleana Fritsch 19*, 108, 111, 113
Codonanthopsis 20, 61, 111
dissimulata (H. E. Moore) Wiehler 19*, 61, 110
uleana 109*
ulei Mansf. 19*, 110, 111
X *Codonanthus* 2*, 3
X 'Fiesta' 2*, 3
Coeloglossum 200
Coelogyne 198, 204
sp. 210
Coelogyneae 202, 203, 204
Colocasia 342
Columnnea 16, 18, 20, 78, 382
acuminata Benth. 384
aurantia Wiehler 379, 380*, 381
canarina Wiehler 22*
chiricana Wiehler 77, 78, 79*
ciliosa (Mart.) Kuntze 49
dielsii Mansf. 381
dodsonii Wiehler 22*
dressleri Wiehler 22*
eriantha (Benth.) Kuntze 63
gloriosa Sprague 22*, 77, 78
hiantiflora Wiehler 22*
hirsutissima Morton 80, 379, 381
hirta Kl. & Hanst. 22*
localis Morton 77, 78
lutea Donn. Smith 78
microcalyx Hanst. 77, 78
var. *macrophylla* Donn. Smith 78
nicaraguensis Oersted 22*
nummularia (Hanst.) Kuntze 63
repens (Hook.) Hanst. 22*
scandens L. 384
segregata B. Morley 384
septentrionalis Morton 28
splendens Paxton 382
tomentulosa Morton 22*
tuerckheimii Sprague 78
tulae Urban 384
var. *rubra* Urban 384
var. *flava* Urban 384
zebrana Wiehler 79*, 80
zebrina Raymond 80
Conocarpus erecta L. 97, 98, 99, 100, 101, 102
Corallorhiza 243
Coryciinae 204
Corytholoma Decne. 65
bulbosum (Ker-Gawl.) Fritsch 72
caracasana (Otto & Dietr.) 66
ellipticum (Hook.) Decne. 66
gracile Brongn. ex Regel 68
igneum (Mart.) Decne. 71
igneum Fritsch 71
lindleyi (Hook.) Decne. 71
paludosum Rusby 68
polyanthum (DC) Fritsch 383
rupicolum (Mart.) Decne. 73
rutilum (Lindl.) Decne. 68
sceptum (Mart.) Decne. 71
selovii (Mart.) Kuntze 72
strictum (Hook. & Arn.) Decne. 69
tribracteatum (Otto & Dietr.) Fritsch 383
Corytoplectus 16, 20
congestus (Linden ex Hanst.) Wiehler 61, 62
pulcher (N. E. Brown) Wiehler 61, 62
Cranichideae 202, 203
Cremogaster 107, 211
limata 110
parabiotica 110
Cremosperma 45, 76, 77
maculatum Skog 74
minutiflorum (Skog) Wiehler 45, 76
veraguanum Wiehler 75*, 76
Cryptarrheneae 202
Cryptophoranthus Barb. Rodr. 120, 145
dodsonii Luer 145
vulturiceps Luer 146
Cuscuta L. 143
Cymbidieae 202, 203
Cymbidium sp. 210
Cypripedioideae Lindl. 201, 203
Cypripedium 201, 243
Cyrtanthemum Oersted 217
hirsutum Oersted 217
Cyrtodeira Hanst. 26
chontalensis Seem. 26
cupreata (Hook.) Hanst. 26
var. *metallica* Regel 26
var. *viridifolia* Hook. 26
fulgida Linden 28
 trianae Hanst. 26
Cyrtopodium punctatum 250
Cyrtospadix Koch 358
striatipes (Kunth) Koch 358, 364
Dactylorhiza 200
Dalbergaria 16, 18, 20, 381, 382
ampliata Wiehler 21*
asteroloma Wiehler 21*, 378, 379
eburnea Wiehler 378, 379, 380
ericae (Mansf.) Wiehler 22*, 90, 92
florida (Morton) Wiehler 21*
madisonii Wiehler 90, 91*, 92
picta (Karst.) Wiehler 22*
polyantha Wiehler 21*
tessmannii (Mansf.) Wiehler 33*
vittata Wiehler 21*
Davallia sp. 210
Dendrobiinae 202
Dendrobium 209
crumenatum Sw. 210
secundum (Blume) Lindl. 210
Diastema Benth.
anisophyllum Fritsch 62
divaricatum (Poepp.) Benth. ex Walp. 64
galeopsis Fritsch 8
parviflorum (Rusby) Fritsch 8
platylomatium Donn. Smith 63
rhodotrichum Cuatrec. 8
villosum Fritsch 62
Diceratostele 205
Dircaea bulbosa (Ker-Gawl.) Decne. 72
Dischidia 211
astephana Scort. 209, 210
collyris Wall. 209, 210
gaudichaudii Decne. 209, 210
nummularia R. Br. 211
rafflesiana Wall. 209, 210, 211
sp. 209, 210
Disa Bergius 204
Diseae Dressler 202, 203
Disinae 204
Diurideae 202, 203
Dodsonia Ackerman 116, 117*, 118
falcata Ackerman 117*, 118
saccata (Garay) Ackerman 117*, 118, 119
Dolichoderus debilis 110
Dracaena 314
Dracula Luer 132, 146
cordobae Luer 146
radiosa (Rchb. f.) Luer 389-390
radio-syndactyla Luer 389-390
ripleyana Luer 147
syndactyla Luer 389-390
Dresslerella Luer 120, 123, 133, 274
caesariata Luer 120, 121, 122*, 123, 124, 125*, 127*, 128*
elvallensis Luer 122*, 123, 124, 125*, 128*, 131*

- hirsutissima* (C. Schweinf.) Luer 120, 274, 275, 276
hispida (L. O. Wms.) Luer 121, 122*, 123, 124, 128*, 131*
pertusa (Dressler) Luer 121, 122*, 123, 124, 127*, 130*, 274
pilosissima (Schltr.) Luer 120, 274, 275, 276, 277
powellii (Ames) Luer 121, 122*, 123, 124, 125*, 130*
stellaris Luer & Escobar 121, 123, 124, 125*, 130*
Drosophila 248
Drymoda 205
Drymoglossum sp. 210
Drymonia 16, 18, 20, 49, 64, 381, 382
aciculata Wiehler 19*
alloplectoides Hanst. 82
campostyla Lwbg. 49
coriacea (Oersted) Wiehler 23*
crenatiloba (Mansf.) Wiehler 382
dressleri Wiehler 19*, 79*, 80, 81
ecuadorensis Wiehler 19*
hoppii (Mansf.) Wiehler 24*
laciniosa Wiehler 19*
longifolia Poepp. 54
macrophylla (Oersted) H. E. Moore 19*, 80, 85
microphylla Wiehler 79*, 81, 82
pilifera Wiehler 82, 83*
pulchra Wiehler 19*
punctata Lindl. 28
serrulata (Jacq.) Mart. 81, 82
sulphurea Wiehler 19*, 85
turrialvae Hanst. 19*, 85
urceolata Wiehler 23*, 83*, 85, 382
variegata Uribe 82
villosa Kunth & Bouche 43
warszewicziana Hanst. 19*
Drynaria 212
sp. 210
Encyclia tampensis (Lindl.) Small 103, 139, 250
Epidendreae 202, 203
Epidendroideae Lindl. 202, 203
Epidendrum troxalis Luer 385
Epipactis 201
Epiphyllum phyllanthus (L.) Haw. 110, 112*, 113
Epipogieae 202
Episcia Mart. 11, 12, 14, 16, 17, 18, 20, 22, 24, 25, 27*
acaulis Donn. Smith 26
adenosiphon Lwbg. 20, 29
bicolor Hook. 20, 30
bractescens (Hook.) Hanst. 30
bryogeton Lwbg. 20, 30
buchtienii Mansf. 49
chontalensis (Seem.) Hook. 26
ciliosa (Mart.) Hanst. 20, 49
conferta (Morton) Lwbg. 50
congesta (Oersted) Hanst. 50
cordata Gleason 26
cupreata (Hook.) Hanst. 12, 13*, 20, 24*, 25, 26
var. *viridifolia* (Hook.) Nichols. 26
dariensis (Seem.) Lwbg. 50
decumbens Mart. 11, 20, 31
decurrens (Morton) Lwbg. 20, 50
densa Wright 20, 50
dianthiflora H. E. Moore & R. G. Wilson 20, 28
erythropus Hook. f. 50
fendleriana Kuntze 26
fimbriata Fritsch 12, 13*, 15*, 20, 26
fulgida (Linden) Hook. f. 28
glabra (Benth.) Hanst. 50
guadalupensis (DC) Hanst. 37
hansteiniana Mansf. 54
hirsuta (Benth.) Hanst. 11, 12, 13*, 14, 15*, 20, 26
hirtiflora Spruce ex Hanst. 34
inclinata Brandegee 38
kohlerioides Lwbg. 20, 34
lilacina Hanst. 12, 13*, 22*, 24*, 25, 26
lineata (Morton) Lwbg. 54
longifolia (Poepp.) Hanst. 54
longipedunculata Donn. Smith 54
lucianii Fournier 20, 36
lurida Morton & Raymond 20, 54
maculata Hook. f. 20, 57
melittifolia (L.) Hanst. 22*, 37
var. *guadalupensis* (DC) Stehle 37
var. *guadalupensis* (DC) Urban 37
membranacea Morton 20, 37
mimuloides Benth. 20, 37
panamensis (Seem.) Morton 20, 38
peltata Morton 39
picta (Hook.) Hanst. 40
porphyrotricha Lwbg. 20, 40
punctata (Lindl.) Hanst. 20, 28
reptans Mart. 11, 12, 13*, 20, 24*, 25, 26, 28
resioides Lwbg. 42
sphalera Lwbg. 15*, 20, 28
splendens (Linden) Hanst. 26
sylvatica Cuatrec. 42
tesselata hort. ex Lem. 30
truncicola Brandegee 63
urticifolia Lwbg. 22*, 43
villosa (Kunth & Bouche) Hanst. 43
Eriphia P. Browne 217
jamaicensis Roem. & Schult. 217
Erythrodea 202, 203
Euglossa asarophora 1
cordata 293, 294
viridissima 293, 294
Eulaema cingulata 293
Eulophia petersii 199*
Ficus aurea Nutt. 97, 99, 100, 101, 105
myrmecophila Warb. 110
Fimbrolina incarnata (Aubl.) Raf. 65
Forestiera segregata (Jacq.) Krug & Urban 97, 99, 100, 101, 102
Fosterella elata Luther 310, 311*
penduliflora (C. H. Wright) L. B. Smith 310
Fraxinus caroliniana 245, 246
Gasteranthopsis Oersted 217
glabra Oersted 217
Gasteranthus 16, 64, 87, 217
atratus Wiehler 83*, 86, 87
carinatus Wiehler 87
crispus (Mansf.) Wiehler 23*
delphinioides (Seem.) Wiehler 87, 88
dressleri Wiehler 19*
maculatus Wiehler 83*, 87
macrocalyx Wiehler 23*, 87
oncogastus (Hanst.) Wiehler 23*
pubescens Wiehler 37
Gastrodieae 202, 203
Genyorchidinae Schltr. 205
Genyorchis 205
Gesneria 16, 62, 64
aurantiaca Hanst. 65
bulbosa Ker-Gawl. 72
carasasana Otto & Dietr. 65
chelonoides HBK. 66
discolor Lindl. 383
eggersii Donn. Smith 66
elator HBK. 66
elliptica Hook. var. *lutea* Hook. 66
erubescens Hanst. 66
flavescens Hanst. 66
fragilis Poepp. 71

- gollmeriana* Hanst. 68
gracilis (Brongn. ex Regel) Hanst. 68
guazumaefolia Benth. 62
guianensis Benth. 68
inaequalis Benth. 62
lehmannii Donn. Smith 68
lindeniana Brongn. 68
lindleyi Hook. 69, 70, 71
polyantha DC 383
rupicola Mart. 72, 73
rutila Lindl. 68, 69
 var. *atrosanguinea* Kuntze 69, 71
sceptroides Hanst. 68
sceptrum Mart. 69, 70
schomburgkia Kunth & Bouche 68
sellovii Mart. 72
stachydifolia Benth. 69
stricta Hook. & Arn. 69
sulcata Rusby 72
tribracteata Otto & Dietr. 383
vargasii DC 69
warmingii Hiern 71
warszewiczii Bouche & Hanst. 69
Gloxinia caulescens Lindl. 383
 passinghamii Paxton 383
 rubra Paxton 383
 speciosa Lodd. 383
Goodyera discolor Ker. 131
Guzmania besseae Luther 310, 312*
 coriostachya (Griseb.) Mez 310
 cyindrica L. B. Smith 265, 266, 268, 269, 270
 lingulata (Andre) Andre ex Mez 226, 229, 231, 265, 266, 267, 268, 270, 272
 monostachya (L.) Rusby ex Mez 226, 229, 231, 237, 265, 266, 267, 268, 270
 musaica 227, 229, 231
 sanguinea 266, 267, 268, 270
Harrisella porrecta 244, 245, 256
Haworthia 237
Heppiella 16
 guazumaefolia (Benth.) Wiehler 62
Hevea brasiliensis (Willd. ex Juss.) Muell. 207
Hippeophyllum celebicum Schltr. 210
Horvatia 205
Hoya sp. 209, 210
Humboldtia miersii (Lindl.) Kuntze 388
Hydnophytum 212
 formicarum Jack 114, 210
Hygrophila polysperma Anders 132
Hypocyrtia Mart. 1, 18, 63
 ciliosa Mart. 49
 macrophylla Poepp. 85
 maculata Fritsch 63
 nummularia Hanst. 63, 64
 pulchra N. E. Brown 61
Isoloma Benth. 4, 62
 flexuosum Rusby 8
 inaequale (Benth.) Benth ex Jackson 62
 parviflorum Rusby 8
 patentipilosum Kuntze 8
 sprucei Britton 9
 urticifolium Rusby 8
Jasarum Bunting 345, 346, 347
 steyermarii Bunting 348, 349
Kefersteinia subquadrata Schltr. 116
Koellikeria mexicana Matuda 384
Kohleria Regel 4, 5, 16, 62
 anisophylla (Fritsch) Wiehler 62
 avilana Cuatrec. 5
 baezana Cuatrec. 6
 eriantha (Benth.) Hanst. 63
 guazumaefolia (Benth.) Regel 62
 hirsuta 4
 inaequalis (Benth.) Wiehler 62
 jamesoniana Fritsch 6
 patentipilosa (Kuntze) K. Schumann 8
platylomata (Donn. Smith) Wiehler 63
reticulata Fritsch 9
sancti-josephii Cuatrec. 8
spicata 4
sprucei (Britton) Fritsch 9
urticifolia (Rusby) Fritsch 8
villosa (Fritsch) Wiehler 62
weberbaueri Fritsch 10
Laelia 279
Lecanopteris 212
 carnosa Blume 114, 210
Lecanorchidinae Dressler 205
Lecanorchis Blume 205
Lepanthes parahybunensis Barb. Rodr. 388
Ligeria discolor Decne. ex Hanst. 383
 speciosa (Lodd.) Decne. 383
Lithops 237
Lodoicea 241
Loranthaceae 210
Lycaste 291, 292, 293, 294
 aromatica (Grah.) Lindl. 291, 292, 293, 294
 ciliata (Pers.) Veitch 291, 293
 consobrina 294
 cruenta Lindl. 291, 292, 293
Lycastinae 205
Malaxideae 202, 203
Markea 107, 112
 formicarum 110
Masdevallia Ruiz & Pav. 388
 andreettaeana Luer 390
 astuta Rchb. f. 152
 attenuata Rchb. f. 152
 calacodon Luer & Vasquez 391, 392
 citrinella Luer & Malo 392
 davisii Rchb. f. 153
 elegans Luer & Escobar 153
 excelsior Luer & Andreetta 393
 floribunda Lindl. 148, 149
 lauchiana Krzl. 152
 menatoi Luer & Vasquez 395
 midas Luer 394
 nicaraguae Luer, 148, 149
 odontopetala Luer 394
 oreas Luer & Vasquez 395
 paivaeana Rchb. f. 392
 rafaellana Luer 149, 150
 rigens Luer 150
 semiteres Luer & Escobar 154
 tubuliflora Ames 148, 149
 tubuloas Lindl. 394
 veitchiana Rchb. f. 153
 wagneriana Linden ex Lindl. 391
 walteri Luer 151, 152
 welischii Luer 152
 zygia Luer & Malo 395
Maxillaria 302
 cucullata Lindl. 302, 304, 305
 mombachoensis Heller ex Atwood 302, 303*, 304
 rubilabia Schltr. 304
 seymouriana Atwood 304, 305*
Maxillarieae 202, 203
Maxillariinae 205
Medinella sp. 210
Mendoncella 291, 292, 294
 grandiflora (A. Rich.) Hawkes 291, 293, 294
Microcoelia L. 142, 143
Monomeria 202, 205
Monomorium 212
Monophyllorchis 204
Monopyle grandiflora Wiehler 88
Moussonia Regel 4, 16
 melastoma (Poepp.) Hanst. 8
 purpurea (Poepp.) Hanst. 8

- Myrmecodia 212
 echinata 211
 tuberosa Jack 114, 209, 210, 211
 Myrsine guianensis (Aubl.) Kuntze 97, 99, 100, 101
 Naegelia cinnabarina Linden 383
 fulgida Ortgies 384
 Nautilocalyx Linden ex Hanst. 11, 12, 14, 16, 17, 18, 20, 25, 29, 35, 45, 90
 adenosiphon (Lwbg.) Wiehler 15*, 21*
 aeneus (Linden & Andre) Wiehler 12, 13*, 15*, 29, 44
 bicolor (Hook.) Wiehler 30
 bracteatus (Planch.) Sprague 29, 30
 bryogeton (Lwbg.) Wiehler 30
 bulbatus (Lem.) Sprague 15*, 30, 34, 35*, 44, 45
 catartarum Wiehler 30, 44
 colombianus Wiehler 15*, 30, 44, 90
 colonensis Wiehler 89, 90, 91*
 decumbens (Mart.) Wiehler 31, 45
 dressleri Wiehler 15*, 31, 44, 90
 ecuadoranus Wiehler 31, 32, 33*, 34, 35*, 44, 45
 forgetii (Sprague) Sprague 15*, 32, 39, 45
 glandulifer Wiehler 32, 33*, 35*
 hastatus Lindern ex Hanst. 29, 30
 hirsutus (Sprague) Sprague 34, 45
 hirtiflorus (Sprague ex Hanst.) Sprague 34, 45
 kohlerioides (Lwbg.) Wiehler 24*, 34
 lacteus Sandwith 40
 leticianus Wiehler 32, 33*, 34, 35*, 45
 lucianii (Fournier) Wiehler 36
 lynchii (Hook. f.) Sprague 36, 37, 40, 45
 mellitifolius (L.) Wiehler 12, 13*, 37
 membranaceus (Morton) Wiehler 15*, 37
 mimuloides (Benth.) Morton 15*, 37
 minutiflorus Skog 45
 mulfordii Wiehler 33*, 37, 38
 pallidus (Sprague) Sprague 32, 34, 38, 45
 panamensis (Seem.) Seem. 12, 13*, 15*, 38, 89, 90
 peltatus (Morton) Wiehler 39
 peruvianus Wiehler 39, 41*, 45
 pictus (Hook.) Sprague 40, 45
 porphyrotrichus (Lwbg.) Wiehler 24*, 40, 44
 punctatus Wiehler 34, 35*, 40, 41*, 45
 resiods (Lwbg.) Wiehler 42
 silvaticus (Cuatrec.) Wiehler 42
 speciosus Wiehler 41*, 42, 90
 urticifolius (Lwbg.) Wiehler 43
 villosus (Kunth & Bouche) Sprague 15*, 43
 vinosus Wiehler 41*, 43, 44
 whitei Rusby 34, 35*, 44, 45
 Nematanthus Schrader 1, 16, 18, 20, 381
 X 'Black Magic' 1
 calycinus Presl 382
 chloronema Mart. 382
 corticola Schrader 382
 crassifolius (Schott) Wiehler 382
 erianthus Benth. 63
 fluminensis (Vell.) Fritsch 382
 fritschii Hoehne 1
 X 'Green Magic' 1
 guilleimii Brongn. 382
 heterophyllus Presl 382
 hybrid No. 3131B, 2*
 jonema Mart. 382
 longipes DC 1, 382
 maculatus (Fritsch) Wiehler 23*, 63, 93*
 nervosus (Fritsch) H. E. Moore 23*
 pereskiaefolius Presl 382
 perianthomegus (Vell.) H. E. Moore 23*
 radicans Presl 382
 serrulatus Presl 382
 X 'Stoplight' 1
 wettsteinii (Fritsch) H. E. Moore 1, 23*
 Neomortonia 16, 20, 64
 nummularia (Hanst.) Wiehler 23*, 63
 rosea Wiehler 19*, 64
 Neoregelia ampullacea 226, 227
 sp. 224, 227
 Neottiae 202, 203
 Neuwiedia 200, 201
 Nidularium burchellii 225, 226, 229, 231, 233, 238
 Niphaea Lindl. 195
 oblonga Lindl. 195*, 196
 X Niphimenes Worley 195
 X 'Lemonade' 195*, 196*
 Odontomachus affinis 110
 Oncidium 248
 Orchideae 202, 203, 204
 Orchidoideae 202, 203
 Orobancha brasiliensis Vell. 382
 cernua Vell. 383
 fluminensis Vell. 382
 Pachycentria tuberosa 114
 Palmorchidinae Dressler 205
 Palmorchis Barb. Rodr. 205
 Parabesleria triflora Oersted 217
 Paradrymonia Hanst. 11, 12, 14, 16, 17, 25, 45, 48, 49, 64
 alba Wiehler 46, 47*, 58
 aurea Wiehler 46, 47*, 48, 49*
 buchtienii (Mansf.) Wiehler 49
 campostyla (Lwbg.) Wiehler 49
 ciliata (Mart.) Wiehler 12, 13*, 15*, 46, 48, 49, 50
 conferta (Morton) Wiehler 50
 congesta (Oersted) Wiehler 50
 dariensis (Seem.) Wiehler 50, 51
 decurrens (Morton) Wiehler 12, 13*, 15*, 48, 50
 densa (Wright) Wiehler 16, 50
 erythropus (Hook. f.) Wiehler 50
 flava Wiehler 12, 13*, 47*, 48, 51
 gibbosa Wiehler 47*, 48, 52, 53, 54, 56
 gigantea Wiehler 48, 52, 53, 54, 55*, 56
 glabra (Benth.) Hanst. 46, 50
 hansteiniana (Mansf.) Wiehler 54
 hypocyrta Wiehler 13*, 23*, 48, 54
 lineata (Morton) Wiehler 15*, 46, 48, 54
 longifolia (Poepp.) Wiehler 54
 longipedunculata (Donn. Smith) Wiehler 54
 lurida (Morton & Raymond) Wiehler 15*, 48, 54
 macrophylla Wiehler 48, 55*, 56
 maculata (Hook. f.) Wiehler 57
 metamorphophylla (Donn. Smith) Wiehler 50, 57, 58
 ommata Skog 15*
 sericea Wiehler 55*, 57
 tylocalyx Wiehler 55*, 58, 59
 Parakohleria Wiehler 4, 5
 abunda Wiehler 4, 5, 7*
 avilana (Cuatrec.) Wiehler 4, 5
 baezana (Cuatrec.) Wiehler 4, 6
 hispidissima Wiehler 6, 7*
 jamesoniana (Fritsch) Wiehler 6
 melastoma (Poepp.) Wiehler 8
 parviflora (Rusby) Wiehler 8
 purpurea (Poepp.) Wiehler 8
 rhodotricha (Cuatrec.) Wiehler 4, 7*, 8
 sancti-josephii (Cuatrec.) Wiehler 8
 schimpffii (Mansf.) Wiehler 9
 sprucei (Britton) Wiehler 4, 9
 vinicolor Wiehler 4, 7*, 9, 10
 weberbaueri (Fritsch) Wiehler 4, 10
 Pearcea Regel 4, 16
 schimpffii Mansf. 9
 hypocyrtiliflora (Hook.) Regel 23*
 Pentadenia 16, 18, 20
 angustata Wiehler 21*
 colombiana Wiehler 21*
 crassicaulis Wiehler 21*
 ecuadorana Wiehler 21*

- matudae* Wiehler 21*
spathulata (Mansf.) Wiehler 21*
strigosa (Benth.) Hanst. 22*
zapotilana Wiehler 21*
Peperomia 17, 107, 111, 133, 212
macrostachya (Vahl) A. Dietr. 109*, 110, 111, 113
Philodendron 107, 111
myrmecophyllum Engler 109*, 110, 112
traunii Engler 110
striatipes Kunth 358, 364
Phinaea divaricata (Poepp.) Wiehler 64
Phloeophila Hoehne & Schltr. 388
Phragmipedium 201
Phyllotaenium lindenii Andre 366, 373
Phymatodes 212
sinuosa 114, 210
Physodeira Hanst. 29
bicolor (Hook.) Hanst. 29, 30
Physosiphon Lindl. 388
andinus Schltr. 388
loddegesii Lindl. 126
obliquipetalus Ames & Schweinf. 388
parahybunensis (Barb. Rodr.) Cogn. 388
serrulata Barb. Rodr. 388
Pinus elliotii 256
Pitcairnia dracaenoides Luther 313, 313*
palmoides Mez & Sodiro 314
volubilis L. B. Smith 313
Platanthera 200
ciliaris 201*
Platyterium 212
coronarium (Koenig ex Muell.) Desv. 210, 211
Platystele dodsonii Luer 155
hirtzii 155
stellaris 156
teaguei 157
Pleurothallidinae 120, 145, 202, 389
Pleurothallis R. Br. 388
acremona Luer 157
acuminata (HBK) Lindl. 178
aequatorialis Luer 158
alexandrae Schltr. 131
anceps Luer 159
andina (Schltr.) Luer 388
apopsis Luer 160
aposis Luer 160
archidonae Lindl. 173
campicola Luer 161
cardiostola Rchb. f. 174
connata Luer 388
cruciformis Ames, Hubbard & Schweinf. 387
cucumeris Luer 162
cynocephala Luer 163
decurrens Popp
decurrens Poepp. & Endl. 171
eidos Luer 163
eumeces Luer 164
eumecocaulon Schltr. 167
flexuosa (Poepp. & Endl.) Lindl. 185
foliata Griseb. 183
gardneri Lindl. 386
gelida Lindl. 175
giraffa Luer 165
gongylodes Luer 166
guttata Luer 169
harpago Luer 167
herpestes Luer 167
hieroglyphica Ames 162
hirsuta Ames 162
ibex Luer 168
janetiae Luer 169
lamia Luer 170
lemniscifolia Luer 177
litotes Luer 170
longipedicelata Ames & Schweinf. 181
luctuosa Rchb. f. 181
macroblepharis Rchb. f. 167
madisonii Luer 171
miersii Lindl. 386
morenoi Luer 172
obliquipetala Acuna & Schweinf. 388
pan Luer 131
pastacensis Luer 131
pelex Luer 173
perryi Luer 174
pidax Luer 174
pallida Luer 176
parahybunensis (Barb. Rodr.) Luer 388
polysticta Luer 176
portillae Luer 176
radula Luer 177
recurva Lindl. 172
regalis Luer 178
ripleyi Luer 178
schizopogon Luer 179, 385
secunda Poepp. & Endl. 160
serrulata (Barb. Rodr.) Luer 388
setigera Lindl. 183
sicaria Lindl. 170
stelidilabia Luer 180
stevensii Luer 181
stumpfleii Luer 182
tantilla Luer 183
taxis Luer 184
telamon Luer 195
trichostoma Luer 185
tubata (Lodd.) Steudel 388
univaginata Lindl. 175
uxoria Luer 186
variabilis Luer 187
xanthochlora Rchb. f. 170
zorrocuchensis Luer 188
Pogoniinae 204
Polyradicion lindenii 245, 246
Polystachyeae 202, 203
Pseudobesleria Oersted 217
Psidium guajana L. 97
Psilochilus 204
Psilotum nudum 250
Pterobesleria Morton 217
aristeguietae Morton 217, 218
rosea Morton 217, 218
Quekettia vermeuleniana Determann 306, 307*
pygmae (Cogn.) Garay 306
Quercus virginiana Mill. 99, 100, 101, 141*, 142
var. geminata Sarg. 97
Reichsteineria 64, 65, 69, 70, 72
atrosanguinea Kuntze 69, 71
aurantiaca (Hanst.) Kuntze 65
bulbosa (Ker-Gawl.) Kuntze 72
caracasana (Otto & Dietr.) Kuntze 65, 66
chelonoides (HBK) Kuntze 66
crenata Fritsch 66
elator (HBK) Kuntze 66
elliptica (Hook.) Kuntze 66
erubescens (Hanst.) Kuntze 66
faucidens Hoehne 66
var. parvifolia Hoehne 68
flavescens (Hanst.) Kuntze 66
gollmeriana (Hanst.) Kuntze 68
gracilis (Brongn. ex Regel) Kuntze 68
guazumaefolia (Benth.) Kuntze 62
igneae (Mart.) Fritsch 71
incarnata (Aubl.) Lwbg. 65
lindleyi (Hook.) Fritsch 69, 71
multiflora Fritsch 71
peruviana Fritsch 71
ramboi Hoehne 72
rupicola (Mart.) Kuntze 73
rutula (Lindl.) Kuntze 68
sceptroides (Hanst.) Kuntze 68
sceptrum (Mart.) Kuntze 71
schomburgkiana (Kunth & Bouche) Kuntze 69
sellovi (Mart.) Kuntze 72
stachidifolia (Benth.) Kuntze 65, 69

- stenantha* Fritsch 71
stricta (Hook. & Arn.) Kuntze 69
sulcata (Rusby) Fritsch 72
tribracteata (Otto & Dietr.) Kl. ex Hanst. 383
vargasii (DC) Kuntze 69
warmingii (Hiern) Hjelmq. 72
warszewiczii (Bouche & Hanst.) Kuntze 69
weberbaueri Fritsch 71
Restrepia HBK 386
 guttulata Lindl. 126
 miersii (Lindl.) Rchb. f. 386
 reichenbachiana Endres 387
Restrepia Garay & Dunsterv. 120, 274
Restreplopsis Luer 387
 reichenbachiana (Endres) Luer 387
 trilobata (Pabst) Luer 387
Rhizophora mangle L. 97, 98, 99, 100, 101
Rhynchoaelia 279
Rhytidophyllum Mart. 4
 melastoma Poepp. 8
 purpureum Poepp. 8
Rudolfiella 205
Satyriinae 204
Scaphispatha 342, 345, 346, 348, 355, 375, 376
 gracilis 368
Scaphosepalum beluosum Luer 188
 ursinum Luer 189
Scheeria panamensis Seem. 38
Selenipedium 201
Serenoa repens 256
Sinningia Nees 16, 64, 65, 69, 70, 72
 bulbosa (Ker-Gawl.) Wiehler 72
 claybergiana H. E. Moore 64, 69, 70, 71
 discolor (Decne. ex Hanst.) Sprague 383
 incarnata (Aubl.) Denham 64, 65, 67, 69, 70
 polyantha (DC) Wiehler 383
 regina Sprague 383
 richii Clayberg 19*
 rupicola (Mart.) Wiehler 73
 sceptrum (Mart.) Wiehler 70
 sellowii (Mart.) Wiehler 70, 72
 speciosa (Lodd.) Hiern 383
 stricta 65
 sulcata (Rusby) Wiehler 70, 72
 tribracteata (Otto & Dietr.) Wiehler 383
 warszewiczii 64, 65
Skiothila Hanst. 12, 29
 melittifolia (L.) Hanst. 29, 37
Smithiantha cinnabarina (Linden) Kuntze 383, 384
 fulgida (Ortgies) Voss ex Siebert & Voss 384
 multiflora (Martens & Galeotti) Fritsch 384
 zebrina (Paxton) Kuntze 384
Sobralia 198
Solenophora 16
Solenopsis 107
 parabiotica 110
Spiranthes L. C. Rich 204
Spiranthoideae Dressler 202, 203, 204
Stelis 181
 anolis Luer 190
 ciliaris Lindl. 192
 glomerosa Luer 191
 gratiosa Luer 192
 obliquipetala (Ames & Schweinf.) L. O. Wms. 388
 triaristata Luer 193
 tridactylon Luer 193
 tubata Lodd. 388
Stenia Lindl. 116
 chasmatochila Fowlie 116
 pallida Lindl. 116
 saccata Garay 116
Streptocalyx angustifolius Mez 109*, 110
Sunipia 202, 205
Sunipiinae 205
Tapina splendens Linden 26
 variegata Linden 26
Taxodium ascendens Brogn. 96, 97, 98, 99, 102, 104, 139, 141*, 142, 244, 245, 249, 250, 251, 256, 258, 260, 261, 262, 263
 distichum (L.) Rich. 104
Terminalia mollis Laws. 136
Teuscheria 205
Thecostele 205
Thecostelinae 204
Tillandsia 248
 anceps Lodd. 266, 267, 268
 argentea 228
 balbisiana Schultes 97, 98, 102, 139, 249, 256
 bartramii 249
 brachycaulos 224
 bulbosa Hook. 265, 266, 268, 270
 circinnata Schlecht. 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 139, 219, 249, 250, 251, 256, 257, 258, 259, 260, 261, 262, 263
 fasciculata Sw. 97, 139, 249, 250, 251, 256
 flexuosa Sw. 97, 249, 251, 256
 ionantha 224
 polystachia 249
 pruinosa 249
 recurvata L. 97, 141*, 142, 249, 256
 setacea 249
 truncata L. B. Smith var. major Luther 314
 usneoides L. 97, 104, 141*, 249, 256
 utriculata L. 97, 105, 249, 250, 256
Trevirana divaricata Poepp. 64
Trichantha 16, 18, 382, 384
 acuminata (Benth.) Wiehler 384
 cerropirrana Wiehler 22*, 93
 ciliata Wiehler 21*
 citrina Wiehler 21*, 91*, 92
 dielsii (Mansf.) Wiehler 381
 filifera Wiehler 21*
 filipes (Oliver) Wiehler 22*
 herthae (Mansf.) Wiehler 21*
 minor Hook. 21*
 mira (Morley) Wiehler 92, 93
 sanguinolenta (Oersted) Wiehler 21*
 segregata (Morley) Wiehler 384
Trichodrymonia Oersted 45
 congesta Oersted 46, 50
Triphora Nutt. 204
Triphoreae Dressler 204
Trisetella regia Koeniger 296
 scobina Luer 296
Vandae 202, 203
Vandoideae 202, 203
Vanilleae 202, 203
Vanillinae 205
Vresia 225
 erythrodactylon 225, 226, 237
 fenestralis 227, 229, 231
 fosteriana 226, 227, 228, 229, 230, 232, 233, 235, 236, 237
 glutinosa 227
 heterandra (Andre) L. B. Smith 266, 268, 269, 270
 longibracteata 269
 regina 226, 227
 scalaris 229, 231
 simplex 225
 spendens 227, 266, 268
 var. *formosa* 269, 272

- Xanthosoma Schott, Schott & Endl. 342, 345,
347, 348, 349, 351, 355, 357, 358, 363,
364, 366, 377
aristeguietae (Bunting) Madison 364, 366
buchtienii Engler 361
conspurcatum 366
daguense 353
flavomaculata 351
fractum Madison 360
holtonianum Schott 361
lindenii (Andre) Engler 373, 374
mexicanum Liebm. 362
mirabile M. T. Mast. 351
pilosum Koch & Aug. 361, 362
pubescens Poepp. 234, 261, 262
riedelianum Schott 366
var. brancoanum Engler 364
riopalenquense (Madison) Madison 343,
362, 363
robustum 344, 345
sagittifolium (L.) Schott 343, 357
stenospathum Madison 363
striatipes (Kunth) Madison 345, 349, 364,
366
- striolatum (Mart.) Schott 361
tarapotoense 343
trichophyllum Krause 362
viviparum Madison 343, 358, 359, 360
weeksii 358, 360
Xylobium 205
Zygopetalinae 116, 119, 205, 291, 297

ADDENDA

- Geocalpa (Krzl.) Brieg. 388
asaroides (Krzl.) Brieg. 388
pubescens (Barb. Rodr.) Brieg. 388
Phloeophila asaroides (Krzl.) Garay 388
pubescens (Bar. Rodr.) Garay 388
Physosiphon asaroides Krzl. 388
pubescens Barb. Rodo. 388
Sarracenella Luer 388
asaroides (Krzl.) Luer 388
pubescens (Barb. Rodr.) Luer 388

INDEX OF AUTHORS OF VOLUME 5

- ACKERMAN, JAMES D.
Dodsonia, A New Ecuadorian Genus of the Zygopetalinae (Orchidaceae) 116-119
Two New Species of the Chondrorhyncha Complex (Orchidaceae) 297-301
- ATWOOD, JOHN T.
Two New Species of Maxillaria from Nicaragua (Orchidaceae) 302-305
- ATWOOD, JOHN T., N. H. WILLIAMS & C. H. DODSON
Floral Fragrance Analysis in Anguloa, Lycaste and Mendoncella (Orchidaceae) 291-295
- BENZING, DAVID H.
Germination and Early Establishment of Tillandsia circinnata Schlecht.
(Orchidaceae) on some of Its Hosts and other Supports in Southern Florida 95-106
Alternative Interpretations for the Evidence that Certain Orchids
and Bromeliads Act as Shoot Parasites 135-144
Mineral Nutrition of Epiphytes: An Appraisal of Adaptive Features 219-223
Why Is Orchidaceae So Large, Its Seeds So Small, and Its Seedlings
Mycotrophic? 241-242
Bark Surfaces and the Origin and Maintenance of Diversity among
Angiosperm Epiphytes: A Hypothesis 248-255
The Population Dynamics of Tillandsia circinnata (Bromeliaceae)
Cypress Crown Colonies in Southern Florida 256-263
- BENZING, DAVID H. & W. E. FRIEDMAN
Patterns of Foliar Pigmentation in Bromeliaceae and Their Adaptive
Significance 224-240
Mycotrophy: Its Occurrence and Possible Significance among Epiphytic
Orchidaceae 243-247
- CROAT, THOMAS B.
Studies in Araceae III: New Species of Anthurium from Central America 315-341
- DETERMANN, R. O.
A New Species of Quekettia from Surinam (Orchidaceae) 306-307
- DODSON, CALAWAY H., JAMES T. MURRELL, H. H. WILLIAMS & ALEC M. PRIDGEON
Floral Fragrances in Angreacum (Orchidaceae) 286-290
- DODSON, CALAWAY H., N. H. WILLIAMS & J. T. ATWOOD
Floral Fragrance Analysis in Anguloa, Lycaste and Mendoncella (Orchidaceae) 291-295
- DRESSLER, ROBERT L.
The Subfamilies of the Orchidaceae 197-206
- FRIEDMAN, W. E. & BENZING, D. H.
Patterns of Foliar Pigmentation in Bromeliaceae and Their Adaptive
Significance 224-240
Mycotrophy: Its Occurrence and Possible Significance among Epiphytic
Orchidaceae 243-247
- GILMARTIN, AMY JEAN
A New Species of Aechmea from Ecuador (Bromeliaceae) 308-309
- KOENIGER, W.
A New Tristella from Peru (Orchidaceae) 296

LUER, CARLYLE A.	
Miscellaneous New Species in the Pleurothallidinae (Orchidaceae)	145-194
<i>Epidendrum troxalis</i> , A New Species from Ecuador (Orchidaceae)	385
<i>Barbrodria</i> , A New Genus in the Pleurothallidinae (Orchidaceae)	386-387
A Re-evaluation of the Genus <i>Physosiphon</i> (Orchidaceae)	388
Miscellaneous New Species in the Pleurothallidinae (Orchidaceae)	389-390
LUTHER, HARRY E.	
Miscellaneous New Taxa of Bromeliaceae (I)	310-314
MADISON, MICHAEL	
A New <i>Anthurium</i> from Eastern Ecuador	94
Additional Observations on Ant-Gardens in Amazonas	107-115
Distribution of Epiphytes in a Rubber Plantation in Sarawak	207-213
Notes on <i>Caladium</i> (Araceae) and Its Allies	342-377
MURRELL, JAMES T., N. H. WILLIAMS, ALEC M. PRIDGEON & C. H. DODSON	
Floral Fragrances in <i>Angreacum</i> (Orchidaceae)	286-290
PRIDGEON, ALEC M. & N. H. WILLIAMS	
Anatomical Aspects of <i>Dresslerella</i> (Orchidaceae)	120-134
PRIDGEON, ALEC M.	
Shoot Anatomy of Two Additional Species of <i>Dresslerella</i> (Orchidaceae)	274-278
PRIDGEON, ALEC M., J. T. MURRELL, N. H. WILLIAMS & C. H. DODSON	
Floral Fragrances in <i>Angreacum</i> (Orchidaceae)	286-290
SAYLOR, WILLIAM R.	
The First Intergeneric Hybrid between <i>Codonanthe</i> and <i>Nematanthus</i> (Gesneriaceae)	1-3
SUGDEN, ANDREW M.	
Aspects of the Ecology of Vascular Epiphytes in Two Colombian Cloud Forests	264-273
WIEHLER, HANS	
<i>Parakohleria</i> , A New South American Genus in the Gesneriaceae	4-10
The Genera <i>Episcia</i> , <i>Alsobia</i> , <i>Nautilocalyx</i> and <i>Paradrymonia</i> (Gesneriaceae)	11-60
Miscellaneous Transfers and New Species of Neotropical Gesneriaceae	61-93
Two New Species of <i>Codonanthe</i> (Gesneriaceae)	214-216
A Reduction of <i>Pterobesleria</i> to <i>Besleria</i> (Gesneriaceae)	217-218
New Species and Name Changes in Neotropical Gesneriaceae	378-384
WILLIAMS, NORRIS H.	
Floral Fragrance Components of <i>Brassavola</i> (Orchidaceae)	279-285
WILLIAMS, NORRIS H., J. T. ATWOOD & C. H. DODSON	
Floral Fragrance Analysis in <i>Anguloa</i> , <i>Lycaste</i> and <i>Mendoncella</i> (Orchidaceae)	291-295
WILLIAMS, NORRIS H. & ALEC M. PRIDGEON	
Anatomical Aspects of <i>Dresslerella</i> (Orchidaceae)	120-134
WILLIAMS, NORRIS H., J. T. MURRELL, A. M. PRIDGEON & C. H. DODSON	
Floral Fragrances in <i>Angreacum</i> (Orchidaceae)	286-290
WORLEY, PATRICK J.	
\times <i>Niphimenes</i> (<i>Niphea</i> \times <i>Achimenes</i>) a New Hybrid Combination in the Gesneriaceae	195-196

- Articles proposed for publication in SELBYANA should be submitted to the editors. Prior to acceptance all articles will be reviewed by at least two specialists in the particular subject matter.
- Contributors to SELBYANA should refer to the latest issue for style, follow the CBE Style Manual (3rd ed.), use the Kew Index of Author Abbreviations, and employ the journal abbreviations of the Botanico-Periodicum-Huntianum (BPH).
- Descriptions of new taxa should have either a brief diagnosis in Latin followed by a full description in English, or a full description in Latin, *without* a repetition in English.
- Authors are requested to use the metric system for all measurements, and to include a scale for measurement on figures for reproduction when size is to be indicated (SEM photos excepted).
- Reprints are not available for articles appearing in SELBYANA, unless the author negotiates for them directly from the printing company. Since SELBYANA is not copyrighted, anyone is free to xerox or cite from this journal without explicit permission, by merely giving credit.
- The mailing date for Vol. 5, Nos. 3 and 4 is 31 August 1981